

**(12) PATENT**  
**(19) AUSTRALIAN PATENT OFFICE**

**(11) Application No. AU 199670247 B2**  
**(10) Patent No. 707687**

**(54) Title**  
**Mystery jackpot controller**

**(51)<sup>6</sup> International Patent Classification(s)**  
**G07F 017/34                      G07D 013/00**  
**G07D 009/00**

**(21) Application No: 199670247**

**(22) Application Date: 1996.10.16**

**(30) Priority Data**

<b>(31) Number</b>	<b>(32) Date</b>	<b>(33) Country</b>
<b>PN6062</b>	<b>1995.10.19</b>	<b>AU</b>

**(43) Publication Date : 1997.04.24**

**(43) Publication Journal Date : 1997.04.24**

**(44) Accepted Journal Date : 1999.07.15**

**(71) Applicant(s)**  
**Aristocrat Leisure Industries Pty Ltd**

**(72) Inventor(s)**  
**Neville Gordon Harlick**

**(74) Agent/Attorney**  
**F B RICE and CO,605 Darling Street,BALMAIN NSW 2041**

**(56) Related Art**  
**US 5280909**

**US 4652998**

**BEST AVAILABLE COPY**



AU9670247

**(12) PATENT ABSTRACT      (11) Document No. AU-A-70247/96**  
**(19) AUSTRALIAN PATENT OFFICE**

(54) Title  
**MYSTERY JACKPOT CONTROLLER**

International Patent Classification(s)  
(51)<sup>6</sup> **G07F 017/34      G07D 009/00      G07D 013/00**

(21) Application No. : **70247/96**      (22) Application Date : **16/10/96**

(30) Priority Data

(31) Number      (32) Date      (33) Country  
**PN6062      19/10/95      AU AUSTRALIA**

(43) Publication Date : **24/04/97**

(71) Applicant(s)  
**ARISTOCRAT LEISURE INDUSTRIES PTY LTD**

(72) Inventor(s)  
**NEVILLE HARLICK**

(74) Attorney or Agent  
**F B RICE & CO , 28A Montague Street, BALMAIN NSW 2041**

(57) Claim

1.      A random prize awarding system associated with one or more gaming consoles each of which includes signal output means arranged to produce an output signal in response to operation of the respective console, the system including means to generate and store a pool of numbers, random selection means arranged to select a prize winning number from the pool of numbers, means responsive to the signals received from each associated console to randomly select from the pool a number corresponding to each said received signal, the signal responsive means being arranged to remove the selected number from the pool and to compare that number with the randomly selected prize winning number, recording means being arranged to record the identity of a console associated with the selected number when it equates to the randomly selected prize winning number and indicator means arranged to indicate details of the console associated with the prize winning number as a prize winning console and the prize awarded.

**AUSTRALIA**  
**Patents Act 1990**

**ARISTOCRAT LEISURE INDUSTRIES PTY LTD**

**ORIGINAL**

**COMPLETE SPECIFICATION  
STANDARD PATENT**

*Invention Title:*

*Mystery jackpot controller*

The following statement is a full description of this invention including the best method of performing it known to us:-

## *Mystery Jackpot Controller*

### Introduction

The present invention relates to apparatus for use with a system of linked poker machines and in particular the apparatus provides an improved mystery jackpot mechanism for use with such a poker machine system.

### 5 Background of the Invention

Many schemes have been devised in the past to induce players to play slot machines including schemes such as specifying periods during which jackpot prizes are increased or bonus jackpots paid. Other schemes involve awarding an additional prize to a first player to achieve a  
10 predetermined combination on a poker machine after a given point in time. These methods, while effective, add to club overheads because of the need for additional staff to ensure that the scheme is operated smoothly. More recently, with the advent of poker machines linked through electrical networks it has been possible to automatically generate jackpot prizes on the  
15 basis of information received from the machines being played which are connected to the system and one such prior art arrangement, commonly known as "Cashcade", counts turnover (or games played) on all machines in the network, increments a prize value in accordance with the turnover (or number of games played) and pays a mystery jackpot prize when the count  
20 reaches some predetermined and randomly selected number. This arrangement has been in use in the State of New South Wales and in other jurisdictions for a considerable period of time, however, as with other aspects of slot machine games, players become bored with such arrangements and new and more innovative schemes become necessary in  
25 order to stimulate player interest.

### Summary of the Invention

According to a first aspect, the present invention provides a random prize awarding system associated with one or more gaming consoles each of which includes signal output means arranged to produce an output signal in  
30 response to operation of the respective console, the system including means to generate and store a pool of numbers, random selection means arranged to select a prize winning number from the pool of numbers, means responsive to the signals received from each associated console to randomly select from the pool a number corresponding to each said received signal, the signal  
35 responsive means being arranged to remove the selected number from the

pool and to compare that number with the randomly selected prize winning number, recording means being arranged to record the identity of a console associated with the selected number when it equates to the randomly selected prize winning number and indicator means arranged to indicate details of the console associated with the prize winning number as a prize winning console and the prize awarded.

According to a second aspect, the present invention provides a random prize awarding system associated with one or more gaming consoles each of which includes signal output means arranged to produce an output signal in response to operation of the respective console, the system including random interval generating means to generate time intervals of random length, means responsive to the signals generated by the associated gaming consoles to count the occurrence of  $m$  games following the completion of each random time interval and to allocate a prize to the console reporting the  $m$ th game, prize generating means arranged to randomly select a prize and indication means arranged to indicate the identity of the prize winning console and the prize awarded.

In an alternative arrangement random number generating means are provided to generate a random value for  $m$  at the completion of each random time interval. Preferably  $m$  will be a relatively small number such that the period taken for  $m$  games to be played is significantly less than the respective random time interval.

Preferably the prizes awarded by the system of the present invention are monetary amounts the values of which are either a plurality of preselected values held in a pool of prize values or prize values within a range of allowable values which are either incremented or randomly selected during operation of the prize awarding system.

Where used above, the term 'console' is used to indicate a gaming machine, a gaming terminal or other device arranged to be connected to a communications system and to provide a user gaming interface. In the following description, examples are given which employ traditional slot machines, however the invention should be taken to include gaming systems which include user interfaces other than traditional slot machines.

#### **Brief Description of the Drawings**

Embodiments of the invention will now be described by way of example, with reference to the accompanying drawings, in which:

Figure 1 is a block diagram of a network of electronic gaming machines to which a mystery jackpot controller according to the present invention is connected;

Figure 2 is a flow chart showing a first game arrangement according to the invention; and

Figure 3 is a flow chart of the game arrangement according to a further embodiment of the present invention.

#### **Detailed Description of the Preferred Embodiments**

Referring to Figure 1 a plurality of electronic gaming machines 10 are connected to a network 11, to which a mystery jackpot controller 12 and display means 13 are also connected.

Each of the electronic gaming machines 10 are provided with a network interface arranged to provide a signal onto the network 11 on each occurrence of an operation of a respective machine and the jackpot controller 12 is arranged to receive each of the machine operation signals and to generate and award a random jackpot prize on the occurrence of one of these operation signals.

Flow charts for two prize awarding algorithms are illustrated in Figures 2 and 3.

Referring to the algorithm of Figure 2 machine contributions go into the prize pool as with known prior art jackpot systems, while the overhead display shows the incrementing prize value.

In step 20 the controller sets up a random number allocation pool in some user defined range e.g. 1 to 10,000 and then in step 21, randomly chooses a number to be a prize winning number. Every game that is played is reported (step 22) to the controller which not only allocates a contribution to the prize pool but randomly allocates a number from the above pool to that game and deletes that number from the pool (step 23). The number allocated to the machine is then tested (step 24) and if this number matches the controller's number a win is awarded (step 25). If a jackpot is awarded the winning machine is locked up (step 26) and the controller awaits an indication that the prize has been paid and the machine unlocked (step 27) before returning to step 20. If the number does not match then there is no jackpot win for that game and the controller returns to step 22 and waits for the next machine to report operation. This means that the jackpot win

probability steadily increases towards a final value of 1 thus ensuring that the jackpot must be struck within a certain number of games.

The following is a simple numerical example to further illustrate the process. The controller randomly chooses a number in the range 1 to 10.

5 For example, 5 say. The number pool for games is therefore also 1 to 10.

The first game played is reported to the controller which allocates a contribution to the prize pool and randomly allocates a number (from 1 to 10) to that game. Let's say it allocates 6. It checks to see if this matches its first number (5). There is no match in this case, so there is no win. The  
10 number 6 is now removed from the allocation pool.

The next game played is reported to the controller. It follows the same process as above but now can only choose a number from the 9 left in the allocation pool i.e. the probability of striking the jackpot has gone from 1/10 to 1/9.

15 Obviously chance says the jackpot can be won at any time and the longer it runs the greater will be the "prize".

If the "starting value" were set at \$25 and the contribution per game is \$1 then the published range for this example is \$25 to \$35 and as the prize value approaches the \$35 limit the probability of it "going off" increases, just  
20 as with the normal "Cashcade".

Referring to Figure 3 another possibility is to merely give away prizes at randomly selected times. These prizes can be fixed or random amounts. The controller would be programmed (step 30) to select a winner  $n$  times in a user defined period (step 31). Once the controller decides that it is time  
25 for a prize to be awarded (step 32), the  $m$ th game to be played from that instant becomes the winner (step 34), where  $m$  is a random number chosen between user selected limits. If a programmable sound source is fitted then the "Jackpot Imminent" sound starts at this time.

The prize amount may be chosen randomly from a user defined table  
30 of values (step 33). These could be \$50, \$100, etc up to a suitable maximum.

When the winning machine has been selected, the prize and winning machine are displayed (step 35) and the winning machine locked up (step 36) until the controller receives an indication that the prize is paid and the winning machine unlocked (step 37). The controller then tests to see if the  
35  $n$ th period has elapsed (step 38) and then returns control to step 31 or step 32.

A variation of this algorithm is to have the animated display showing the prize values as they are randomly selected. It cycles through all the possible prize values, showing each one for a suitable period. When the jackpot is won, the display freezes showing the prize value that has just been won.

The following is a further simple numerical example to illustrate the process. A club with 275 machines is open daily from 10.00am until 11.00pm. The weekly turnover is \$1,700,000 and it is decided to allocate 2 1/2% of this to Jackpots. This means that \$42,500 is to be given away in 10 jackpots each week, or approximately \$6000 per day.

The Slot Manager decides that a jackpot of some sort going off every six minutes on average would generate the excitement he is looking for. This equates to 130 jackpots in the 13 hour day. He could simply divide the \$6,000 by 130 and give away 130 prizes of \$46 but it would be preferable to 15 have a range of prizes e.g.

$$1 \times \$2,000 = \$2,000$$

$$5 \times \$200 = \$1,000$$

$$24 \times \$50 = \$1,200$$

$$100 \times \$18 = \$1,800$$

The overhead displays now cycle through these values spending perhaps 1 minute displaying each one. This means that "\$200" would be displayed for five 1 minute periods during the life of the particular jackpot cycle. Similarly "\$50" would be displayed for a total of 24 minutes.

The display cycle is initially 130 minutes and the \$2,000 prize is 25 available for only one of those minutes. As prizes are won and removed from the pool, the cycle gets shorter and shorter until in the last six minute (average) period there is only one prize left to win.

The controller at a random time picks a number (m above), starts up the "Jackpot Imminent" sound and begins to count games. When the count 30 reaches the value m the win is triggered and the prize as shown on the overhead display is awarded to the machine that generated that game.

The "random time" would be in minutes since the completion of the last jackpot. e.g. if the desired average interval between jackpots is six minutes then choosing randomly an interval of from 3 to 9 minutes, coupled 35 with the variation in m should give the desired effect.



This jackpot includes every machine in the Club and it may be desirable to run smaller ones with fewer machines. Obviously the principle is the same but a corollary of this is that our new controller must be able to handle large numbers of machines.

- 5        It will be appreciated by persons skilled in the art that numerous variations and/or modifications may be made to the invention as shown in the specific embodiments without departing from the spirit or scope of the invention as broadly described. The present embodiments are, therefore, to be considered in all respects as illustrative and not restrictive.

## THE CLAIMS DEFINING THE INVENTION ARE AS FOLLOWS:

1. A random prize awarding system associated with one or more gaming consoles each of which includes signal output means arranged to produce an output signal in response to operation of the respective console, the system  
5 including means to generate and store a pool of numbers, random selection means arranged to select a prize winning number from the pool of numbers, means responsive to the signals received from each associated console to randomly select from the pool a number corresponding to each said received signal, the signal responsive means being arranged to remove the selected  
10 number from the pool and to compare that number with the randomly selected prize winning number, recording means being arranged to record the identity of a console associated with the selected number when it equates to the randomly selected prize winning number and indicator means arranged to indicate details of the console associated with the prize winning number as a prize winning console and the prize awarded.  
15
2. The system as claimed in claim 1, wherein the prizes awarded by the system are monetary amounts.
3. The system of claim 2 in which the values of the prizes are selected from a plurality of preselected values held in a pool or range of prize values.
- 20 4. The system of claim 3 in which each selected value prize is selected by incrementing, or decrementing the previous prize value, within the range of values, during operation of the prize awarding system.
5. The system of claim 4 in which each selected prize value is selected by selecting the previous, or next, value in the pool during operation of the prize  
25 awarding system.



6. A random prize awarding system as claimed in any one of the preceding claims substantially as hereinbefore described.

DATED this twenty seventh day of April 1999.

ARISTOCRAT LEISURE INDUSTRIES  
PTY LTD

Patent Attorneys for the Applicant:

F.B. RICE & CO.

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100

101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200

201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300



**ABSTRACT**

A plurality of electronic gaming machines 10 are connected to a network 11, to which a mystery jackpot controller 12 and display means 13 are also connected. Each of the electronic gaming machines 10 are provided with a network interface arranged to provide a signal onto the network 11 on each occurrence of an operation of a respective machine and the jackpot controller 12 is arranged to receive each of the machine operation signals and to generate and award a random jackpot prize on the occurrence of one of these operation signals.






FIG. 1




FIG. 2

3/3




FIG. 3

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**